
REAWZ

NETWORK AUTOMATION AT REANNZ

AARON MURRIHY aaron.murrihy@reannz.co.nz

 $RE \wedge M \times Z$



WHY AUTOMATE?

- Save time; make operations scalable
- Improve reliability of the network
- Improve understandability of the network
- Makes documentation and monitoring easier to maintain

3

STEPS TO AUTOMATING A PROBLEM

- Identify the problem
- Decide if it's worth automating
- Write tool to solve problem
 - Generate configuration
 - Apply configuration to the network
- Socialise your new tool


IDENTIFY THE PROBLEM

IDENTIFY THE PROBLEM

For historical reasons REANNZ uses LDP-signalled VPLSes.

IDENTIFY THE PROBLEM

This means every VPLS instance on every host must be configured with neighbours to be fully meshed with every other host with the same VPLS ID.



IDENTIFY THE PROBLEM

HOST1:

set routing-instances vpls-5000 protocols vpls neighbor 172.24.2.1 set routing-instances vpls-5000 protocols vpls neighbor 172.24.3.1 set routing-instances vpls-5000 protocols vpls neighbor 172.24.4.1

HOST2:

set routing-instances vpls-5000 protocols vpls neighbor 172.24.1.1 set routing-instances vpls-5000 protocols vpls neighbor 172.24.3.1 set routing-instances vpls-5000 protocols vpls neighbor 172.24.4.1

HOST3:


set routing-instances vpls-5000 protocols vpls neighbor 172.24.1.1 set routing-instances vpls-5000 protocols vpls neighbor 172.24.2.1 set routing-instances vpls-5000 protocols vpls neighbor 172.24.4.1


HOST4:

set routing-instances vpls-5000 protocols vpls neighbor 172.24.1.1 set routing-instances vpls-5000 protocols vpls neighbor 172.24.2.1 set routing-instances vpls-5000 protocols vpls neighbor 172.24.3.1

IDENTIFY THE PROBLEM

If a VPLS is not fully meshed. Some parts of the network will be unable to talk to other parts of the network, potentially only unidirectionally. Awful to diagnose.





IS IT WORTH AUTOMATING?

- How much time does it take to do it by hand?
- What are the consequences of it being wrong?
- How easy is it to tell if it's configured incorrectly?
- Are there multiple ways to configure the service?
- Will homogenous configurations make the network easier to understand?
- What do other members of your team think?

IS IT WORTH AUTOMATING?

On the REANNZ network today:


- Number of VPLSes = 244
- Number of neighbours configured = 4248
- Our largest VPLS has 31 hosts and 870 neighbour statements

Imagine someone asking you to make sure everything is fully meshed...

Worth Automating

12

IS IT WORTH AUTOMATING?



Automate, Automate, Automate

IS IT WORTH AUTOMATING?

VPLSes can be configured to


- Tear off vlan headers on ingress and insert new ones on egress
- Pass packets leaving their vlan header intact
 - Vlan IDs much match at all ends
- Translate/normalise vlan IDs
- Pass Q-in-Q packets
 - Create multiple mac-learning domains
- Any number of other ways I haven't mentioned or don't know about.

Please, just do it already!

QUICK INTRODUCTION TO THE REANNZ OPERATIONAL AUTOMATION ENVIRONMENT

MEET BENDER

- Monolithic repo
 - Gives easy access to all internal tools and libraries
 - Branch, write patch, code review, merge
 - No hidden "pet" projects
 - Easy(er) to refactor code and change APIs
- Miniconda Python environment
 - "make install" to build
 - Installs external packages without affecting the main system
 - Environment is reliably built on any host that needs it



MEET BENDER

- Implements Python libraries for accessing the APIs of our "sources of truth" and other services
 - NetDB
 - phpIPAM
 - FreshDesk
 - Google Apps
 - PagerDuty
 - Slack





Bender APP 11:05 AM

FortiManager policy package push initiated by yesh on admin.firewall.reannz.co.nz with comment "test"

rnz-staff - completed successfully

rnz-temp - completed successfully

/

MEET BENDER

- Implements wrappers around NETCONF for Junipers
 - Pushes configuration
 - · Config lock on every host being configured
 - commit check
 - show | compare
 - rollback
 - TODO: commit confirmed
 - Grabs running state
 - BGP/OSPF/LLDP Neighbours
 - Interfaces
 - Hardware
 - Alarms
 - Etc.
 - Upgrades devices
 - Compares pre and post state
 - Cleans up storage and takes a backup disk image
 - Initiates firmware upgrade
 - Notifies an engineer of any issues



MEET BENDER


- Generates network configuration
 - Standardised configurations and user accounts
 - Member edge firewall ACLs
 - Member edge route policy
 - Standardised circuit types
 - Managed Firewall route policy



NETWORK AUTOMATION AT REANNZ

AARON MURRIHY aaron.murrihy@reannz.co.nz

 $RE \wedge M \times Z$





DESIGN AN INTERFACE

- Gives you an outcome to work towards
- Gives you an idea of what options to cater for

```
aaron@nms-wlg:~$ vpls mesh --help
aaron@nms-wlg:~$ vpls --help
                                                                  Usage: vpls mesh [OPTIONS]
Usage: vpls [OPTIONS] COMMAND [ARGS]...
                                                                    Ensures all VPLSes on the network are meshed. If not, generates
                                                                    configuration to fully mesh them.
Options:
  -v, --verbose Verbose output, -vv for debug info
                                                                    Example usage:
  --help
                   Show this message and exit.
                                                                       vpls mesh -w
                                                                  Options:
Commands:
                                                                    -w, --write Write config output to per-host file
  mesh Ensures all VPLSes on the network are...
                                                                               Show this message and exit.
```

DESIGN AN INTERFACE

Also makes it easier to integrate with your existing tooling environment

```
aaron@nms-wlg:~$ vpls --help
Usage: vpls [OPTIONS] COMMAND [ARGS]...
Options:
  -v, --verbose Verbose output, -vv for debug info
                Show this message and exit.
  --help
Commands:
  add
           Creates a new VPLS on the network.
  allocate Allocates the next available VPLS in IPAM...
           Ensures all VPLSes on the network are...
  mesh
           Delete ports from a VPLS.
  remove
           Remove all instances of a VPLS from the...
  wipe
```

REANNZ Practical Network Automation – October 19

23

DESIGN AN INTERFACE

Use click to implement CLI interfaces in Python

GATHER STATE

Gather current (configured) VPLS state

```
def get_vplses_participants():
    """
    Looks through the configs of all core MPLS hosts and builds up a list of
    all VPLSes and all hosts that participate in that VPLS.

    VPLS current state is grabbed by parsing rancid backed-up set config.

    Returns dict structure of the form:
    {
        5000: ['host1', 'host2', 'host3'],
        5001: ['host2', 'host8']
    }
    """
```

REANNZ Practical Network Automation – October 19

25


GATHER STATE

Get the list of core MPLS hosts

```
# Grab the list of Juniper core MPLS devices for NetDB
netdb = bender.api.netdb.NetDB()
hosts = netdb.get_hosts_names(vendor='juniper', device_class='core')
```

GATHER STATE

We have a database, but no problem with a CSV or YAML file



GATHER STATE

For each host

- Iterate config file line-by-line
- For each VPLS
 - Add host to VPLS list of participants

```
vplses_participants = {}
for host in hosts:
    with open('%s/%s.set' % (CONFIG_DIR, host), 'r') as f:
        for line in f:
            # Regex parses Juniper "set" config that looks like this:
            # set routing-instances vpls-5000 protocols vpls vpls-id 5000
            vpls_id_regex = 'set routing-instances vpls-([0-9]+) ' \
                            'protocols vpls vpls-id ([0-9]+)'
            m = re.match(vpls_id_regex, line)
            if m:
                vpls_designation = int(m.group(1))
                vpls_id = int(m.group(2))
                # Just do a quick sanity check here
                assert vpls_designation == vpls_id
                # Create the VPLS info data structure if it doesn't
                # already exist
                if vpls_id not in vplses_participants:
                    vplses_participants[vpls_id] = []
                # This host participates in this VPLS. Add it to the list
                # of participants
                vplses_participants[vpls_id].append(host)
return vplses_participants
```

28

MESH VPLSES

```
# all_configs will be built with the structure:
# {
    host1: [config_to_add_vpls_neighbour,
            config_to_delete_vpls_neighbour],
    host2: [config_to_add_vpls_neighbour]
# }
all_configs = {}
for vpls_id,participants in vplses_participants.items():
    log.info('Meshing vpls-{id_}'.format(id_=vpls_id))
    configs = mesh_vpls(vpls_id, participants)
    # Add any vpls meshing configs for this VPLS into all_configs
    for host,lines in configs.items():
        if host not in all_configs:
            all_configs[host] = []
        all_configs[host] = all_configs[host] + lines
```

REANNZ Practical Network Automation – October 19

29

MESH VPLS

```
def mesh_vpls(vpls_id, participants):
    """
    For each of the participants in the VPLS, checks the configured VPLS
    neighbours against the list of VPLS participants. If the configured list
    is different (wrong) in any way, generates config to make it right.

    Returns dict of configs to add/remove neighbours keyed by host
    {
        'host1': ['set routing-instances vpls-5000 protocols vpls neighbour 172.24.2.1'],
         'host2': ['set routing-instances vpls-5000 protocols vpls neighbour 172.24.1.1',
        'delete routing-instances vpls-5000 protocols vpls neighbour 172.24.8.1']
    }
    """
```

MESH VPLS

- For each host
 - Build correct list of neighbours
 - Get the configured list of neighbours

```
# Regex parses Juniper "set" config that looks like this:
# set routing-instances vpls-5000 protocols vpls neighbor 172.24.1.1
neighbour_regex = 'set routing-instances vpls-%s protocols vpls ' \
                   'neighbor (([0-9]\{1,3\}\.)\{3\}[0-9]\{1,3\})' % vpls_id
configs = {}
for host in participants:
    # To fully mesh a VPLS, I must have a neighbour statement for every
    # host that participates in the VPLS except for myself.
    neighbours = [p for p in participants if p != host]
    # Use a DNS lookup to get the loopback address for each host.
    # We only care about referencing neighbours by loopback address now.
    neighbour_loopbacks = set(get_loopbacks_from_dns(neighbours))
    configured_neighbour_loopbacks = set()
   with open('%s/%s.set' % (CONFIG_DIR, host), 'r') as f:
        for line in f:
            m = re.match(neighbour_regex, line)
            if m:
                configured_neighbour_loopbacks.add(m.group(1))
```

31

MESH VPLS

- Looks for mismatches between configured and correct state
 - Generate config to add what doesn't exist, but should
 - Generate config to delete what does exist, but shouldn't

```
# Now lets look for any differences in the two sets. Any differences
   # are a misconfiguration of the mesh.
   mismatches = neighbour_loopbacks.symmetric_difference(
           configured_neighbour_loopbacks)
   if len(mismatches) > 0:
       configs[host] = []
   for mismatch in mismatches:
       if mismatch in neighbour_loopbacks:
           # This is an unconfigured neighbour. Add it.
           set_neighbour = 'set routing-instances vpls-{id_} protocols ' \
                            'vpls neighbor {addr}'.format(id_=vpls_id,
                                                          addr=mismatch)
           configs[host].append(set_neighbour)
       else:
           # This neighbour no longer participates in the VPLS. Remove it.
           delete_neighbour = 'delete routing-instances vpls-{id_} protocols ' \
                               'vpls neighbor {addr}'.format(id_=vpls_id,
                                                              addr=mismatch)
           configs[host].append(delete_neighbour)
return configs
```

OUTPUT CONFIGURATIONS

To STDOUT or file

```
# Now return all meshing config to the user
for host,lines in all_configs.items():
    output_config(lines, host, write)
```

OUTPUT CONFIGURATIONS


```
aaron@nms-wlg:~/generated$ vpls mesh -w
aaron@nms-wlg:~/generated$ ls
and03 and06 and17
aaron@nms-wlg:~/generated$ cat *
#####################
      and03
##############################
delete routing-instances vpls-5004 protocols vpls neighbor 172.24.2.1
#####################
      and06
#############################
set routing-instances vpls-5004 protocols vpls neighbor 172.24.3.1
####################
      and17
#####################
set routing-instances vpls-5004 protocols vpls neighbor 172.24.3.1
```

APPLY CONFIGURATIONS TO THE NETWORK

```
aaron@nms-wlg:~/generated$ apply_config
--- and03: config diff follows ---
[edit routing-instances vpls-5004 protocols vpls]
       neighbor 172.24.2.1;
--- and06: config diff follows ---
[edit routing-instances vpls-5004 protocols vpls]
       neighbor 172.24.17.1 { ... }
       neighbor 172.24.3.1;
--- and17: config diff follows ---
[edit routing-instances vpls-5004 protocols vpls]
       neighbor 172.24.6.1 { ... }
       neighbor 172.24.3.1;
3 hosts will be updated
0 hosts already match proposed config
Commit changes? [y/N] (N in 600s): y
Confirmed yes
All config changes committed.
```

NOT SHOWN HERE

- Write unit tests!
 - Ensure it's generating config as expected
 - Ensure it's parsing VPLS "set" config correctly
 - Ensure it's finding mesh mismatches
- Get peer-reviewed!
 - Ask a network-focused colleague to review functionality
 - Ask a software-focused colleague to review coding style and readability



SOCIALISE YOUR NEW TOOL



aaron 2:45 PM

@here Just pulled a new firewall failover utility (based on the standardised firewall architecture) into production.

Untitled ▼

- 1 aaron@nms-wlg:~\$ fwl_failover --help
- Usage: fwl_failover [OPTIONS] LOCATION

3

- Generate config to fail-over firewalls. Optionally, --failback will allow
 - you to fail primary back to that firewall. Only a single location can be



Thanks @yesh and @rprocter for reviewing the code



rprocter 2:49 PM

@aaron nice work



yesh 2:52 PM

yeah good work



Dan T 2:53 PM


very cool

REANNZ Practical Network Automation – October 19


38

THE FUTURE

CURRENT AUTOMATION



NEAR FUTURE AUTOMATION



41

VENDOR AGNOSTIC CONFIG

- Python class tree structure
- Looks similar to a very, very cut-down version of OpenConfig
 - With some key differences
- (In theory) trivial to automate new vendor devices
 - Just implement a new parser and generator
 - All existing "Coded Business Logic" continues to work

PARSER AND GENERATOR

- All parsing/generating implemented in one place
- Unit testing is easy
- Can deal with multiple device configuration types (e.g. EX, MX)
- Can deal with version specific functionality and syntax

GENERATOR

- Diffs pre and post-change agnostic config
- Generates the minimum configuration to implement that change
 - Better co-existence with hand-configured configuration

THE END

QUESTIONS?

AARON MURRIHY aaron.murrihy@reannz.co.nz help@reannz.co.nz

REAWZ